CUMULATIVE INDEX 1992

Volume 22

January EXTERNAL SKELETAL FIXATION, pages 1–243

March OPINIONS IN SMALL ANIMAL ANESTHESIA, pages 245-502

May CANINE HIP DYSPLASIA, pages 503–750 July DISEASES OF THE SPINE, pages 751–1041

September UPDATE ON RESPIRATORY DISEASES, pages 1043-1264

November FELINE DENTISTRY, pages 1265-1496

Note: Page numbers of issues and article titles are in boldface type

Abduction-external rotation test, for canine hip dysplasia, 649-650

Acepromazine, cardiovascular response to, 254–256

in dilated cardiomyopathy, 464 in hypertrophic cardiomyopathy, 461

Acetabular canine hip dysplasia, 646–647 Acetabular filling, as contraindication to pelvic osteotomy, 666

Acetabulum, anatomy of, 722 damage to, in canine hip dysplasia,

damage to, in canine hip dysplasia 508–509 development of, normal, 560

dorsal, forces acting on, 646–647 in canine hip dysplasia, pelvic osteotomy of, 645–682

loss of, as contraindication to pelvic osteotomy, 666

preparation of, for total hip arthroplasty, 709

Acetylcholine, role in autonomic airway control, 1059

Acetylsalicylic acid, precautions when using, 371

Acrylic frames, for transarticular external skeletal fixation, 190–193 biphase technique for, 192–193

cutting of, 191-192 materials for, 190-191

Acrylic-pin splint(s), for external skeletal fixation, 24-31

application technique for, 26–31 for oral fractures, 113–115

Activity level, following BOP/shelf arthroplasty, 693

Acupuncture, analgesia with, 374–379 charts in, 375

for chronic pain, 377–378 physiology of, 375–376

physiology of, 375–376 points in, 374–375 surgical, 376–377

traditional Chinese, 374

Adenosine monophosphate, cyclic, and bronchial smooth muscle tone, 1232 Aerosolization of drugs, for respiratory

disease, 1250-1251 Airflow rate, during anesthesia, 1051

Airflow resistance, in dog, 1215–1216 Airway(s), anatomy of, 1044–1048

autonomic regulation of, 1058–1062 excitatory innervation, 1058–1060 inhibitory innervation, 1060–1061

inhibitory innervation, 1060–1061 mediators in airway disease, 1061–

caliber changes in, 1231-1233 canine, anatomy of, 1211-1214

clinically significant features of, 1214– 1215

resistance in, 1044 collapse of, dynamic, 1052-1055

disease of. See Airway disease. extrathoracic, collapse of, 1052–1054

obstruction of, and airway function, 1057–1058

function of, factors affecting, 1057-1062 generations of, 1047

Airway(s) (Continued)

inflammation of, and respiratory defense mechanisms, 1194-1195

intrathoracic, collapse of, 1054–1055 obstruction of, and airway function, 1058

management of, with mask anesthesia induction, 311

obstruction of, 1057-1058

in brachycephalic dogs, 1145-1153

in feline bronchopulmonary disease, 1189

peripheral, airway pressures in, 1055 physiology of, 1043–1064

pressure in, during forced exhalation, 1055

during normal breathing, 1054 resistance in, and rebreathing circuits, 400

calculation of, 1050

in allergic dogs, effect of antigen challenge on, 1060

smooth muscle of, nerves supplying, 1059

Airway disease, lower, in dog, clinical findings in, 1216–1226

diagnosis of, 1217-1220 bronchopulmonary cytology, 1217-1218

bronchoscopy, 1218–1219 histopathologic findings, 1220 pulmonary function studies, 1219 radiography, 1217

tracheobronchial culture, 1218 therapy for, 1220-1226

obstructive, cytology of, 1076, 1078 Albumin, in cerebrospinal fluid, 796–801 Albumin quota, for cerebrospinal fluid

protein, calculation of, 798–799 Albuterol, for canine chronic bronchitis, 1223

Alfentanil, pharmacokinetic variables for, 246–247

Alpha-2 agonists, as anesthetic adjuvants, advantages and guidelines for, 289– 293

precautions when using, 295-296

behavioral effects of, 295 cardiovascular effects of, 294

epidural, effects of, 415

interaction with other drugs, 294-295 Alveolar bone, in cat, 1273

defects of, in extraction sites, 1375–1376

resorption of, with dental resorptive lesions, 1387

tooth ankylosis with, 1396 Alveolar macrophages, undifferentiated, Alveolar minute ventilation, and inhalational anesthesia induction and recovery speed, 299

Alveolar pressure, during forced exhalation, 1055 during normal breathing, 1054

AMAH fixation splints, 6

Aminocaproic acid, for degenerative myelopathy, 969

Aminoglycosides, for gram-negative respiratory infection, 1252–1253

Aminophylline, for feline bronchial asthma, 1196

Amphotericin B, for respiratory fungal infection, 1253

Amputation and pulp capping, of feline teeth, 1448–1450

complications of, 1450 instruments for, 1449

materials for, 1449 technique of, 1449-1450

Analgesia, acupuncture for, 374-379

postoperative, 353–379. See also Postoperative analgesia.

Analgesics, routine use of, case against, 359–360

case for, 357-359

Anesthesia, concentration of, rate of change of, and rebreathing circuits, 401

depth of, guidelines for judging, 432-434

most reliable signs, 432-433 nonsigns, 434

reliable signs, 433 unreliable signs, 433–434

undefinable nature of, 435–437 epidural, 413–423. See also Epidural

anesthesia. gas flow rate in, 381-387

general, maintenance of, inhalational agent for, 312-313

injectable agent for, 275–277 in feline dental evaluation, need for, 1318

in feline dental prophylaxis, 1300 inhalational, 297–339. See also Inhalational anesthesia.

injectable, 245–296. See also Injectable anesthesia.

monitoring and support for, 425–450 protocols of, comparative costs of, 385 for specific conditions, 451–496

quantitative, 405–411. See also Quantitative anesthesia.

somatosensory evoked potential applications in, 852–853

Anesthetized patient, monitoring of, 425– 431 Animal(s), as human dental models, 1310–1311

Animal compliance, failure of, in pelvic osteotomy, 681

Antebrachium, arteries of, 106 cross-sectional anatomy of, 138

Anti-inflammatory drugs, for respiratory disease, 1237–1247, 1242 for tracheal collapse, 1209

Antibiotics, for canine chronic bronchitis, 1224–1225

for feline gingivitis/stomatitis, 1374 for total hip arthroplasty, 708 for tracheal collapse, 1209

Anticholinergic drugs, for bronchoconstriction, 1241–1244 Antimicrobials, for bronchial infection,

1255 for respiratory infection, 1243, 1251– 1253

Antiprostaglandins, advantages and guidelines for, 367–369

precautions when using, 370-374 Antitussives, for cough, 1242, 1247-1249

for tracheal collapse, 1209

Apical bone, in cat mouth, radiographic abnormalities in, 1293

Apical changes, in feline teeth, interpretation of, 1290

Apical delta, in lower canine tooth, in cat, 1271

Apicoectomy, technique of, in cat, 1444 Arachidonic acid cascade, 1062 in airway function, 1213

Arrhythmias, intraoperative, electrocardiographic monitoring of,

Arterial blood gas analysis, in pulmonary function testing, 1088–1091

Articular cartilage, fissures of, in canine hip dysplasia, 545 in degenerative joint disease, 547–548

normal, 546
Ascending evoked potentials,

abnormalities of, 847–849, 853–854 for spinal cord conduction velocity measurement, 843–846

Ascorbate therapy, for canine hip dysplasia, 598

Aspergillosis, nasal, 1120–1124 biopsy specimen of, 1123 radiography of, 1122

Aspirin, for canine hip dysplasia, 599 precautions when using, 371

Asthma, feline, 1188 bronchial, clinical pro

bronchial, clinical presentation and therapeutic considerations in, 1195–1197

pathogenesis of, 1237

Ataxic gait, in intervertebral disc disease, 894

Atlantoaxial luxation, and spinal cord trauma, 994

Atlantoaxial malformations, congenital, 990-996

Atracurium besylate, as neuromuscular blocking agent, 343

Atropine, for bronchoconstriction, 1243
Auscultation, of anesthetized patient, 429
Autoimmune disease, and feline
gingivitis/stomatitis, 1366
of feline oral cavity, 1329–1330

Avian fractures, repair of, recommendations for, 233–236

Babinski reflex, examination of, in spinal disease, 769–770

Bacterial infections, and meningitis/ myelitis, 958–960

Bacterial meningitis, cerebrospinal fluid in, 789

Bain nonrebreathing circuits, components of, 398

Bandoleer bandage, for wing fractures, 226

Barbiturates. See also *Thiobarbiturates*. injectable, effects of, 249 ultrashort, for anesthesia induction, advantages and guidelines for, 261–264

Barden's sign, before and after BOP/shelf arthroplasty, 686 in canine hip dysplasia, 556–557

Barlow's sign, in canine hip dysplasia, 555–556

Beta-lactam antibiotics, for respiratory infection, 1252

Beta-receptor agonists, for bronchoconstriction, 1238–1242

Biceps femoris muscle sling, for canine hip dysplasia, dissenting opinion on, 732–733 rebuttal of, 733

investigations on, differences in, reasons for, 733-734

postoperative results of, client's questionnaire on, 734–735 research trials of, changes following,

734 with femoral head excision, formation of, 731

positioning of, 729 surgical procedure for, 728–732 suturing of, 730

Biceps reflex, examination of, in spinal disease, 768

Biliary tract disease, anesthesia for, 479

Biocompatible osteoconductive polymer. See BOP.

Biomechanical forces, distribution of, in BOP/shelf arthroplasty, 693

Biphase splint, for oral fractures, 115–117 for stifle immobilization, 192

Birds, fracture repair in, recommendations for, 233-236

Blastomycosis, of nasal cavity, 1130 Block vertebra, congenital, 990–991

Blood flow distribution, and inhalational anesthesia induction and recovery speed, 299

Blood gas(es), analysis of, arterial, 1088-1091

in anesthetized patient, 429-431 Blood loss, with cesarean section, 481

Blood pressure, arterial, monitoring of, in anesthetized patient, 428

with inhalational anesthetics, 303 during progressive hypotension, 305

with injectable anesthetics, 251, 255 in hypovolemic dogs, 253

intraoperative monitoring of, case against, 446

case for, 444–445 systolic, normal, in anesthetized patient, 427

Body temperature, normal ranges for, 426 Body weight, and force distribution, 522 Bone(s), bending moment in, creation of,

forces applied to, biomechanics of, 46-

fracture of, iatrogenic, in external skeletal fixation, 104

grafting of, for radial/ulnar fractures, 144-145

with external skeletal fixation, 84-85 healing of, biological influences on, 63

principles of, 45–68 with external skeletal fixation, 58–62 lengthening procedures for, external skeletal fixation for, 205

load-deformation curve in, creation of,

lysis of, with total hip arthroplasty, 713 new growth of, with BOP/shelf arthroplasty, 693-700

remodeling of, following three-plane intertrochanteric osteotomy, for earlystage canine hip dysplasia, 626

resorption of, with total hip arthroplasty, 713, 716

sequestra of, as cause of chronic rhinitis, 1113-1115

in cat mouth, in extraction sites, 1375-1376

torsional moment in, creation of, 47

union of, delayed, in external skeletal fixation, 104

mechanisms of, with external skeletal fixation, 59

Bone clamps, for external skeletal fixation application, 41

Bone plating, for humeral fracture, external skeletal fixation with, 128

Bone scanning, nuclear, for lumbosacral disease, 945

Bone screws, for external skeletal fixation, 74

Bone structure, in cat mouth, radiographic abnormalities in, 1293– 1294

BOP (biocompatible osteoconductive polymer), for human orthopedics, 684 new bone growth with, 685

BOP/shelf arthroplasty, anatomic landmarks in, 687–688

anteroposterior diagram of, 689 case selection for, 685–686

complications in, 693 discussion of, 693-700

early bone formation in, radiograph of, 691

for canine hip dysplasia, 683-701 model of, 690

pre- and postoperative disability with, 692

results of, 690-693

surgical procedure for, 687-690

Bordetella bronchiseptica, antimicrobial susceptibilities to, 1177 vaccines against, 1179

Bordetella respiratory infections, 1173–1180 antimicrobial treatment of, 1177–1179 association with disease, 1174

diagnosis of, 1176-1177

reservoirs, prevalence, and transmission of, 1174–1175

symptomology, pathology, and pathogenesis of, 1175–1176

vaccination against, 1179–1180 Brachial plexus avulsion, somatosensory

evoked potentials of, 852

Brachycephalic airway syndrome, 1053, 1145–1153

anesthesia for, 452 diagnostic testing in, 1147, 1149–1150 history of, 1148

physical examination in, 1148–1149

physiology of, 1146-1147 radiography of, 1150

surgery for, 1151-1152 treatment of, 1150-1153

Brailling, for forearm wing fractures, 228 Brain tumors, magnetic resonance imaging of, 825 Breathing circuits, in inhalational anesthesia, 395–403

Breathing effort, monitoring of, in anesthetized patient, 429

Breathing rate, monitoring of, in anesthetized patient, 427–428

Breeder, canine hip dysplasia and, 739–743

Bridges, parapulpar pin composite, for jaw fractures, in small animals, 1461–1467

Broaches, for feline endodontics, 1438 Bronchial asthma, feline, clinical presentation and therapeutic considerations in, 1195–1197

Bronchial diseases, pharmacologic control of, 1253–1255

Bronchial smooth muscle tone, factors determining, 1232 in dog, 1213

Bronchial tree, canine, anatomy of, 1212 Bronchiectasis, in dog, 1211

Bronchiole, anatomy of, 1046–1047 Bronchitis, canine, chronic, 1210–1214

antibiotics for, 1224–1225 biopsy of, 1222 bronchodilators for, 1223 cough suppressants for, 1225 glucocorticoids for, 1225–1226

prognosis in, 1226 radioaerosol ventilation scan of,

relationship to tracheal collapse, 1208

tidal-breathing flow-volume loops in, 1220

feline, 1188

clinical presentation and therapeutic considerations in, acute, 1197 chronic, 1197–1198 asthmatic, 1198

with emphysema, 1198–1199 tidal-breathing flow-volume loop in, 1096

Bronchoalveolar lavage, for cytologic evaluation, 1067–1069

Bronchodilators, for bronchial diseases, 1254

for canine chronic bronchitis, 1223 for respiratory inflammation, 1237– 1247, 1251

for tracheal collapse, 1208–1209 Bronchopulmonary disease, canine, cytology of, 1217–1218

feline, 1187-1201

clinical presentation and therapeutic considerations in, 1195–1199

diagnostic approach to, 1190–1194 bacterial culture, 1193 cytology, 1193 history, 1190–1191 minimum data base for, 1192–1194 physical examination, 1191–1192 radiography, 1193 pathology and pathophysiology of,

1188–1190 Bronchoscopy, in canine lower airway disease, 1218–1219

Bronchovascular bundle, appearance of, 1046

Bronchus, anatomy of, 1046–1047 Brown femoral head prosthesis, 704 Buccostomatitis, in cats, definition of, 1324

Bulbocavernosus reflex, examination of, in spinal disease, 771

Bullous diseases, feline oral cavity lesions in, 1329–1330

Buprenorphine, pharmacokinetic variables for, 246–247

Butorphanol, for cough, 1249 in dilated cardiomyopathy, 464 in hypertrophic cardiomyopathy, 461 pharmacokinetic variables for, 246–247

Butterfly vertebra, congenital, radiographic appearance of, 988

Calcitonin, in feline dental resorptive lesions, 1401

Calcium, effect on canine hip dysplasia, 534–536 Calcium hydroxide, for feline dental

resorptive lesion repair, 1424 Calculus, feline, development of, kinetics

of, 1316–1317 evaluation of, anesthesia in, 1313 methods for, 1311–1312 results of, 1315–1316 teeth evaluated in, 1312–1313

prophylaxis for, 1313 scoring method for, 1316

Callus formation, with external skeletal fixation, 61–62

Calories, effect on canine hip dysplasia, 532–533

Canal sealants, for feline endodontics, 1439

Canine distemper, and meningitis/ myelitis, 953–954

pulmonary cytology in, 1082 Canine hip dysplasia, 503–743

abduction-external rotation test for, 649 acetabular, 646–647 alternative therapies for, breeder evalu-

ation of, 741-742 and breeder, 739-743

and degenerative joint disease, 505-508

Canine hip dysplasia (Continued) angle of reduction/subluxation in, 649-653 bilateral, 564 femoral head remodeling in, 566 subluxation in, 565 biomechanical factors in, 504 BOP/shelf arthroplasty for, 683-701 causes of, breeder's information needs in. 740-741 clinical signs in, 551-558 control of, role of Orthopedic Foundation for Animals in, 579-593 development of, radiographic, 559-578 diagnosis of, 530-531, 647-654 frequency of, 722-723 subluxation test for, 647-649 veterinarian's radiographic experience early stage, signs of, 623 three-plane intertrochanteric osteotomy for, 623-643 environmental influences in, 504, 585femoral, 645-646 femoral head and neck excision for, 721-737 reasons for, 723 selection of procedure for, 723-724 force analysis in, 517-518 frequency of, 581-585 by breed, 586-587, 589 genetic predisposition to, 503, 722 historic review of, 723 in Orthopedic Foundation for Animals population, clinical observations in, 591-592 management of, 595-606 client's wishes in, 742 conservative, 596-598 medical, 598-602 ascorbate therapy, 598 corticosteroids, 601 joint fluid modifiers, 601-602 nonsteroidal anti-inflammatory drugs, 598-601 superoxide dismutase, 602 orthopedic and neurologic examination in, 552 pain in, causes of, 509-510 pathogenesis of, 503-511 pathology of, 541-550 pathophysiology of, 596 pectineus tendon surgery for, 607-621

discussion of, 617-620

procedure for, 608-617 pelvic osteotomy for, 645-682

postoperative care in, 617

phenotype distribution by breed, 582-

physical changes in, 508-510 physical diagnosis in, 551-558 techniques in, 553-557 preliminary hip evaluations for, 590-591 process of, 645-647 radiographic examination of, 654-660 contrast in, 656-657 dorsal acetabular rim, 658-660 frog view, 655, 658 lateral, 655-657 ventrodorsal, 654 reduction of, breeder's role in, 741 progress in, 588-590 registries of, objectives of, 579-580 role of nutrition in, 529-540 Sertl shelf arthroplasty (BOP procedure) for, 683-701 surgical anatomy of, 607-608 total hip arthroplasty for, 703-719 Canine hip joint, force modeling in, 523 weight and muscle tension in, 525 Canine leg, rear, anatomic preparation of, 608-609 Canine tooth, feline, root resorption of, Carbohydrates, effect on canine hip dysplasia, 532-533 Cardiac output, with inhalational anesthetics, 301-302 during progressive hypotension, 304 with injectable anesthetics, 250, 254 in hypovolemic dogs, 252 Cardiomyopathy, anesthetic concerns in, 460-465 Cardiovascular monitoring, of anesthetized patient, 425-428 Cardiovascular parameters, normal ranges for, 426 Carpometacarpal fractures, avian, repair of, 235 Cartilage, defects of, in canine hip dysplasia, 543-549 erosion of, 543-544 resilience of, 542 response to injury, 542 structure-function relationship of, 541-542 Cartilaginous exostoses, 998 Cat(s), brachycephalic head type in, malocclusion in, 1455 bronchopulmonary disease in, 1187-1201 dental abnormalities in, treatment of, 1304-1306 dental evaluation in, 1299-1300 methods of, 1318 dental occlusion in, 1269 dental prophylaxis in, 1300-1303

dental radiography in, 1303-1304

dental resorptive lesions in. See Dental resorptive lesions.

dolichocephalic head type in, malocclusion in, 1456

endodontics in, 1433–1451. See also Endodontics.

gingivitis in, 1361–1383. See also Gingivitis.

malocclusion in, **1453–1460**. See also *Malocclusion*.

normal jaw of, radiographic structures in, 1290

normal occlusion in, 1454

oral cavity of, anatomy of, 1265–1277 inflammatory diseases of, 1323–1345 oral-dental disease in, 1297–1307

oral-dental radiographic examination, interpretation in, 1279–1295 oral immunity in, 1324–1329. See also

Oral immunity in, 1324–1329. See als

oral infections in, 1331-1337

bacterial, 1336 fungal, 1337

mycetomas, 1337 mycoplasmal, 1336–1337

viral, 1331–1336 oral inflammatory cell infiltrates in, 1328–1329

periodontal tissue in, 1271–1273 stomatitis in, 1361–1383. See also *Stoma*-

titis. tooth structure in, 1269–1271

Cathepsins, in degenerative joint disease, 506

Cauda equina, abnormalities of, somatosensory evoked potentials in, 846, 848–849

Cement disease, with total hip arthroplasty, 714

Cementum, feline, 1272-1273 active resorption of, 1395

Central nervous system, disease of, IgG index in, 803

serum and cerebrospinal fluid titers for, 804

drug-induced changes in, 436 Central venous pressure, monitoring of, in anesthetized patient, 428

Cephalosporins, for gram-negative respiratory infection, 1252

Cerebral somatosensory evoked potentials, abnormalities of, 849-851

Cerebrospinal fluid, albumin in, 796–801 analysis of, **781–810**

collection sites for, 783–784 cytologic abnormalities in, 786–796 differential diagnosis in, 788 for spinal neoplasms, 979 parameters and normal findings in,

782

total cell count in, effect of blood contamination on, 784–785 variability of results in, 783–784

white blood cell counts in, 785-786 antigen-antibody titers in, serum titers vs. 803-807

cultures of, 802-803

miscellaneous tests of, 807

organisms and tumor cells in, 795–796 protein electrophoresis of, 796–801 total protein in, 796–801

Cervical line lesions, dental, in cat, 1385, 1389

and endodontic disease, 1435 Cervical spine, fracture/luxation of,

Cervical spine, fracture/luxation of, locking screw plate for, 879 management of, 878–879

intervertebral disc disease of, surgical treatment of, 900–905 dorsal decompression, 903–905

fenestration, 900–901 ventral decompression (slotting),

901–903 Cervical vertebral malformation/ malarticulation syndrome, in large

dogs, 923–935 abnormal vertebral development in,

924–925 degenerative changes in, 925 diagnosis of, 926–927 history in, 926

intervertebral disc failure in, 925–926 laboratory data in, 926 neurologic examination in, 926

pathoanatomic considerations in, 923–926 physical examination in, 926

physical examination in, 926–927 stabilization of, 931–932 treatment of, 928–932

dorsal decompression, 929 nonsurgical, 928

prognosis in, 933–934 surgical, 928–929

postoperative care in, 932 ventral decompression, 930–932 ventral fenestration, 929–930

vertebral and spinal cord changes in, 927

Cesarean section, anesthesia for, in cat, 484-486

in dog, 481-484

Charnley compression clamps, for transarticular external skeletal fixation, 182–183

Cheeks, in cat, 1273

Cheilitis, in cats, definition of, 1324

Chondrocytes, changes in, in degenerative joint disease, 547–548 Cimetidine, with cesarean section, 481 Circle anesthetic system, diagram of, 401 fresh gas flow with, 381-382

Circular fixators, for external skeletal fixation, 31–33

Clamps, of external fixators, 12

Clavicular-furcular fractures, avian, repair of, 233

Client compliance, failure of, in pelvic osteotomy, 681

Codeine, for pain management, 361 Composite resins, for feline endodontics, 1440

Computed tomography, for lumbosacral disease, 946

for spinal neoplasms, 979 of spinal canal lesions, 826–827

of spine, 823–827

Condensers, for feline endodontics, 1440 Congestive cardiomyopathy, anesthesia in, 462–464

Connecting rods, for external skeletal fixation, 12

for optimal healing, 65–66 for Kirschner apparatus application, 38 Contact healing, with external skeletal

Contact healing, with external skeletal fixation, 60
Coracoid fractures, avian, repair of, 233

Coronal bone, in cat mouth, radiographic abnormalities in, 1293

Corticosteroids, for canine hip dysplasia, 601 for chronic feline gingivitis/stomatitis,

1376 for spinal trauma, 870

precautions when using, 370 Cough, as respiratory defense mechanism, 1233

causes of, 1156

suppressants for, for canine chronic bronchitis, 1225

with laryngeal inflammation, 1158 Coxofemoral joints, anatomy of, 721–722 biomechanical improvement in, follow-

ing intertrochanteric osteotomy, 627 subluxation of, in early-stage canine hip dysplasia, 624

Cranial nerves, examination of, in spinal disease, 765
Cranial tibial reflex, examination of, in

spinal disease, 766 Crepitation, before and after BOP/shelf

Crepitation, before and after BOP/shelf arthroplasty, 686

Cromogylate, for respiratory inflammation, 1245–1246

Cross-breeding, in cats, and malocclusion,

Crossed extensor reflex, examination of, in spinal disease, 769

Cryptococcosis, nasal, 1124–1128 cytologic specimen of, 1127 radiography of, 1126 of feline oral cavity, 1337

Curariform relaxants, as neuromuscular blocking agents, 342

Currettes, for external skeletal fixation application, 41

Cutaneous trunci reflex, examination of, in spinal disease, 772–773

Cyanosis, anesthesia for patients with, 454–455

Cyclopropane, minimum alveolar concentration of, 300 partition solubility coefficients of, 298 physicochemical characteristics of, 298

Cytokines, effect on osteoclast formation and resorption, 1399

Cytologic evaluation, of respiratory tract, 1065–1085

Dead space, in circle anesthetic system, 400-401

Debilitation, systemic, severe, anesthesia in, 491–494

Decongestants, for respiratory disease, 1243, 1249–1250

Degenerative joint disease, with canine hip dysplasia, selection of procedure for, 723–724

Degenerative myelopathy, 965–971 Dehydration/hypovolemia, patients with, anesthesia for, 495–496

Delayed hypersensitivity reaction, in feline gingivitis/stomatitis, 1365

Dens, malformations of, congenital, 992– 995

clinical signs of, 993–994 diagnosis of, 994–995 treatment of, 995

Dental disease, chronic rhinitis and, 1101–1117

Dental evaluation, in cats, 1299-1300 methods of, 1318

Dental occlusion, in cats, 1269 Dental plaque, feline, development of,

kinetics of, 1314–1315 soft vs hard diet in, 1314–1315 evaluation of, anesthesia in, 1313

methods for, 1311–1312 results of, 1313–1315 teeth evaluated in, 1312–1313

prophylaxis for, 1313 scoring method for, 1313

Dental prophylaxis, in cat, 1300–1303 getting started in, 1306 in gingivitis/stomatitis, 1374 recall program for, 1306

Dental radiography, in cats, 1303–1304 Dental record, feline, 1301 Dental resorptive lesions, feline, 1385breed, age, and sex in, 1407 clinical surveys of, 1405-1414 summary of, 1406 Veterinary Hospital of the University of Pennsylvania, 1413-1414 Weesp (Netherlands), 1405-1413 discussion of, 1414-1415 gingival inflammation/proliferation with, 1409-1413 gross findings in, 1386-1387 histopathology of, 1386-1396 in Netherlands, 1409-1413 in United States, 1413-1414 location in mouth, 1409-1411 odontoclastic, subgingival, 1417-1432 classification of, 1418-1421 discussion of, 1430-1431 restoration results in, 1426-1430 treatment of, 1421-1426 stage 1, 1422-1423 stage 2, 1423-1425 stage 3, 1425 stage 4, 1425-1426 pathologic changes in, 1387-1396 possible pathogenesis of, 1396-1402 prevalence patterns of, 1405-1416 in Netherlands, 1408, 1411-1412 pulp exposure in, 1409-1413 simultaneous resorption and repair in, 1392-1393 surface pits with, 1387, 1390 systemic factors in, 1400-1402 Dental x-ray film ultraspeed, for cats, 1280-1281 Dentin, destruction of, with feline dental resorption, 1391 Dentistry, feline, 1265-1467 in general practice, client education in, 1298-1299 relevance of, 1297-1298 preventive, 1316-1317 Dentition. See also Tooth (teeth). in cat, deciduous, 1267 permanent, 1266-1267 Dermatophilosis, of feline oral cavity, 1336 Desflurane, potential uses of, 335-337 Dextromethorphan, for cough, 1249 Diaphragmatic hernia, severe dyspnea with, anesthesia for, 456-459 plan for, 457-458 recovery from, 458 cardiopulmonary status in, 456 patient monitoring in, 458 preanesthetic treatment of, 456-457 Diazepam, cardiovascular response to,

254-256

in dilated cardiomyopathy, 464

pharmacokinetic variables for, 246-247 Diethyl ether, minimum alveolar concentration of, 300 partition solubility coefficients of, 298 physicochemical characteristics of, 298 Dilated cardiomyopathy, anesthesia in, 462-464 Disc material, role in fibrocartilaginous emboli, 1019 Discography, for lumbosacral disease, 945 Diskospondylitis, 1027-1034 antimicrobial therapy for, 1032-1033 clinicopathologic abnormalities in, 1029 diagnosis of, 1029-1031 etiopathogenesis of, 1027-1029 foreign bodies and, 1028 grass awn-associated, surgical removal of, 1032 hematogenous spread of, 1027 radiographic appearance of, 1030 therapy for, 1031-1033 trauma and, 1029 Distemper, canine, and meningitis/ myelitis, 953-954 pulmonary cytology in, 1082 Diuretics, for intracranial hypertension, Doberman Pinschers, thoracic vertebral stenosis in, 1006-1010 Dog, chronic tracheobronchial disease in, 1203-1229 Dorsal acetabular rim radiographic view, of canine hip dysplasia, 658-660 mild, 662 moderate, 663 severe, 665 of normal hip joint, 661 Dorsal metacarpal nerves, somatosensory evoked potentials in, 842 Dorsal spinal plates, for lumbar vertebral fracture, 172 Double bar external fixation device, 14 Double clamp external fixation device, 14 Double connecting clamp, for Kirschner apparatus, 22 Doxacurium, as neuromuscular blocking agent, 343-344 Doxapram, as respiratory stimulant, 1249 Drill(s), for external skeletal fixation, 36for optimal bone healing, 66 Droperidol, in dilated cardiomyopathy,

EACA, for degenerative myelopathy, 969

Dynamization, of external skeletal fixation, 84–85, 90, 93, 145

Dyspnea, causes of, 1155

materials for, 1438

Economics, of anesthesia gas flow rate, during progressive hypotension, 304-Ehmer reduction gear, 7 dose calculations for, 407-408 Electrocardiographic monitoring, minimum alveolar concentration of, 300 partition solubility coefficients of, 298 intraoperative, case against, 440physicochemical characteristics of, 298 case for, 437-440 precautions when using, 327-328 conditions revealed by, 438-439 Enilconazole, for nasal aspergillosis, 1124 new technology in, 439 Eosinophilia, in cerebrospinal fluid analysis, differential diagnosis of, practical aspects of, 437-438 Electrodiagnostic examination, 833-857 788, 792-793 Eosinophilic granulomas, oral, in cat, 1342 of spinal neoplasms, 976-979, 981 Electroimmunodiffusion, for cerebrospinal Ependymoma, of spinal cord, fluid protein, 798 myelography of, 977 Electrolyte balance, effect on canine hip Ephedrine, for bronchoconstriction, 1238dysplasia, 536-537 1239, 1247 Electrolyte imbalances, intraoperative, Epidural anesthesia, 413-423 electrocardiographic monitoring of, definitions and semantics in, 413-414 438-439 effects of, 415 Electromechanical dissociation, for cesarean section, 482 intraoperative, electrocardiogram for surgery, advantages and guidelines failure in, 441 for, 421-423 Electromyography, in spinal cord disease problems and precautions with, 420diagnosis, 853-855 lumbosacral, 417-419 of larynx, 1157 Electrophysiologic studies, for Epidurography, for lumbosacral disease, lumbosacral disease, 946 943-944 Ellis pin, for external skeletal fixation, 73 for spinal neoplasms, 979 Epinephrine, for bronchoconstriction, Embryonal arteries, persistence of, and 1238-1239 fibrocartilaginous emboli, 1019 Emphysema, in dog, 1210 for canine chronic bronchitis, 1224 Encephalitis, cerebrospinal fluid analysis Etomidate, as anesthetic agent, advantages of, 277-280 cerebrospinal fluid antigen-antibody ticardiovascular response to, 251 in dilated cardiomyopathy, 464 ters in, 804-807 in hypertrophic cardiomyopathy, 461 Encircling tape bandage, for avian pharmacokinetic variables for, 246fractures, 227 Endodontic disease, as cause of chronic 247 rhinitis, 1109-1113 precautions when using, 280-281 in cat, 1434-1436 Exercise, controlled, for canine hip Endodontics, feline, 1433-1451 dysplasia, 597 amputation and pulp capping in, vigorous, and fibrocartilaginous emboli, 1448-1450 complications of, 1442-1444 Exhalation, forced, airway pressures contraindications to, 1437 during, 1055 home care/aftercare and follow-up in, Expectorants, for cough, 1247-1249 Extension, forced, in canine hip dysplasia, instrumentation for, 1437-1440

options for, 1436-1437 of, in spinal disease, 767 surgical, 1444-1448 Extensor thrust reflex, examination of, in spinal disease, 762-763, 770-771 instruments for, 1445-1447 materials for, 1447 External fixators, application of, 69-97 technique of, 1447-1448 essential concepts in, 70-85 technique of, 1440-1442 general, 85-96 Energy conservation, anesthesia gas flow surgeon's knowledge of, 70 rate and, 386 clamps for, 12 Enflurane, advantages and guidelines for, classification of, 11-18 cleaning of, 84 cardiovascular effects of, 302-303 design of, 71-72

Extensor carpi radialis reflex, examination

dynamization of, 84-85, 90, 93, 145 effect of activity on, 70-71 effect of inflammation on, 70 elements of, 11-12 failure of, factors contributing to, 70 frame configuration of, 13-16 loads applied to, origins of, 45-46 motion prevention with, 70 nomenclature of, 11-18 pins and pin technique of, 72-78 postoperative management of, 69-97 problems with, 102-104 sliding guide pin-gripper for, 78 staged removal of, 84-85, 90, 93, 145 stiffness and strength of, 49-55 types of, 13 External skeletal fixation, acrylic-pin splints for, 24-31 angled vs parallel pin fixation in, 54 application instrumentation for, 35-42 bilateral, 15, 142 biomechanics of, 45-68 biplanar, 15, 141 bone healing with, 58-62 circular fixators for, 31-33 complications of, 99-107 connecting rods for, 54-55 decreased patient morbidity in, 63-66 delayed bone union in, 104 devices for, 19-34 sources of, 20 failure of, mechanisms of, 55-58

for growth deformities, 209–223 for humeral fractures, 121–133. See also *Humerus*. for oral fractures, 112–117. See also *Oral*

for femoral fractures, 144-159. See also

fixation instrumentation for, 35-39

for avian fractures. 225-238

Femur.

for oral fractures, 112–117. See also *Oral* fractures. for radial/ulnar fractures, 135–148. See

also Radius/ulna.

for tibial fractures, **161–170**. See also *Tibia*.

for vertebral fractures and luxations, 171–180 frame configuration in, 55

history of, 1–10 early guidelines and complications, 7–8

7–8 in human orthopedics, 1–3 in veterinary orthopedics, 3–7 human systems for, 33–34 instrumentation for, 19–43 Kirschner apparatus for, 19–24 load-sharing in, 50–51 orthopedic instrumentation and equipment for, 39–42 pins for, 51–54

postoperative management of, for optimal healing, 66 pressure necrosis of skin in, 103–104 transarticular application of, 181–194 configurations of, 182–183 overview of, 181–184 unilateral, 14–15 unstable configurations of, 103

Facial granulomas, with nasal cryptococcosis, 1125
Fatigue life curve, of fixation pins, 58
Faucitis, of domestic cats, 1347–1360 chronic, feline calcivirus in, 1334–1335, 1357
studies of, discussion of, 1354–1359 materials and methods for, 1348–1349
results of, 1350–1354
Fecal function, examination of, in spinal

Fecal function, examination of, in spinal disease, 772
Feed consumption, effect on canine hip

dysplasia, 531–532

Feline bronchopulmonary disease, 1187– 1201. See also Bronchopulmonary disease, feline.

Feline calcivirus, contact exposure to, clinical signs of, 1353 electron photomicrograph of, 1351 in chronic ulceroproliferative faucitis, 1344_1335_1248_1357

1334–1335, 1348, 1357 infection with, experimental, clinical evaluation of, 1351 clinical signs of, 1352

> mucosal and submucosal tissue in, 1356

serum neutralizing antibody response in, 1356 virus isolation following, 1351–1355

oral infection in, 1333–1335 toxic oral cavity lesions vs, 1331 isolation of, in oral cavity disease, 1350

Feline dental record, 1301 Feline dental tissue, normal, histologic

characteristics of, 1386, 1388–1389 Feline dentistry, 1265–1467 Feline endodontics, 1433–1451

Feline herpesvirus, type 1, and oral infections, 1335

Feline immunodeficiency virus, and oral disease, 1327–1328, 1332–1333

Feline infectious peritonitis, and meningitis/myelitis, 954–955 and oral infections, 1335–1336

Feline leukemia virus, and oral infections,

Feline malocclusion, 1453-1460 Feline scaler/curette kit, 1302 Feline syncytium-forming virus, and oral infections, 1333

Feline urethral obstruction, anesthesia for, 475–478

anesthetic management of, 476–477 post-anesthetic management of, 477 Femoral head, anatomy of, 721–722 center of, determination of, 628–629 damage to, in canine hip dysplasia,

508–509 excision of, for canine hip dysplasia,

721–737 in dogs under 20 kg, approaches to,

surgical plan for, 724–728 positioning for, 725–726 preparation for, 725

remodeling of, in bilateral canine hip dysplasia, 566

subluxation of, in canine hip dysplasia, 518

Femoral neck, angle of inclination of, determination of, for intertrochanteric osteotomy, 626–628

excision of, for canine hip dysplasia,

positioning for, 725–726 preparation for, 725

lengthening of, with pelvic osteotomy, 679, 681

osteophytes of, as contraindication to pelvic osteotomy, 666–667

short, pelvic osteotomy for, 664–666 Femur, anatomy of, and external skeletal fixation problems, 89–90

anteversion of, 634 axial radiography of, 632-633

determination of, for intertrochanteric osteotomy, 629–630

avian, fracture of, repair of, 230, 235 axial radiography of, 631-632

exposure of, for three-plane intertrochanteric osteotomy, 634

forces acting on, 523, 646-647 fractures of, 144-159

anatomy and general considerations in, 150-151

external skeletal fixation of, 156–157 application of, 152 complications of, 157–158 indications for, 151–152 method of application of, 153–156 postoperative care of, 156–157

preoperative care of, 156–157 preoperative considerations in, 152–153

tie-in configuration for, 155 unilateral, 85–88 unilateral-biplanar, 88–91

intramedullary pin fixation of, 153 stabilization of, 92

malunion of, pelvic osteotomy for, 666 preparation of, for total hip arthroplasty, 711

proximal, development of, normal, 560 with intertrochanteric drill/saw guides,

Fentanyl, in dilated cardiomyopathy, 464 pharmacokinetic variables for, 246–247 Fibrillation, in degenerative joint disease,

506, 508 Fibrocartilaginous emboli, **1017–1026** diagnosis in, 1023–1024 incidence of, 1020–1022 mechanisms of, 1019 neurologic examination of, 1022–1023

pathophysiology of, 1017–1020 patient presentation in, 1022–1023 prognosis in, 1024–1025 signalment of, 1020–1022

source of, 1017–1020 treatment of, 1024 Fibroid metaplasia, 891

Field potentials, in somatosensory evoked potentials, 840

Figure-of-eight bandage, for wing fractures, 228

Files, for feline endodontics, 1438–1439 Film composition, of intraoral radiographs, in cats, 1285–1286

Film processing, of intraoral radiographs, in cats, 1285–1287

Fixation pins, 11 diameter of, for optimal healing, 65 fatigue failure of, and implant failure,

57–58 for Kirschner apparatus, 23–24, 39

insertion of, 75–78 for femoral fractures, 154 for radial/ulnar fractures, 139–140 soft-tissue considerations and management after, 78–84

loosening of, premature, and implant failure, 55–57 with external skeletal fixation, 103

prevention of, 77 number of, for optimal healing, 64 placement of, 76

for optimal healing, 65 relation to surgical wound, 79–80

positioning of, 80 prestressing of, 76–77 types of, 72–75

for optimal healing, 66 Flaking, in degenerative joint disease, 508 Flexor reflexes, examination of, in spinal disease, 768–769

Flow-volume curves, in pulmonary function testing, 1092–1094 Flow-volume loop(s), 1055–1057 expiratory, maximal, 1056

tidal-breathing, 1057 in chronic bronchitis, 1220 in healthy animals, 1094 in tracheal collapse, 1207 values and indices in, 1095 Fluconazole, for nasal cryptococcosis, 1128 Fluid administration, for intracranial hypertension therapy, 489 intraoperative, case against, 448-450 case for, 447-448 Flumazenil, potential uses of, 285-286 Flunixin meglumine, precautions when using, 372 Foramen magnum, keyhole dorsal notch of, congenital, 996 Foramen triosseum fractures, avian, repair of, 233 Force, in canine hip joint, equations for, 524-526 Force plate analysis, of gait, 521-522 Forceps, for feline endodontics, 1438 Foreign body lesions, oral, in cat, 1341-Forelimbs, somatosensory evoked potential stimulation in, 841-843 Fracture(s), avian, 225-238 coaptation splinting of, 225-229 evaluation of, 225 recommendations for repair of, 233-236 comminuted, stabilization of, 89 delayed union of, 195-207 external skeletal fixation of, 202-206 in feline tooth, and endodontic disease, interpretation of, 1290-1291

restoration of, technique of, 1440–
1442
nonunion of, 195–207
external skeletal fixation of, 203–204, 206
open, 195–207
cleaning of, 198
external skeletal fixation of, 199–202
preliminary management of, 195–197
treatment of, definitive, 198–199
initial, 197
reduction of, and external skeletal fixation application, 80

with total hip arthroplasty, 715–716 Frame stiffness, maximization of, for optimal healing, 65–66

Frenula, in cat, 1273

Fresh gas flow, in anesthesia, 381–387 Frog radiographic view, of canine hip dysplasia, 574, 655, 658 mild, 662

of normal hip, 661

Frontal sinus, dorsoventral radiograph of, 1136 Fungal diseases, of nasal cavity, 1119–1132
Fungal encephalitis, cerebrospinal fluid antigen-antibody titers in, 806–807
Fungal infections, systemic, and

meningitis/myelitis, 960-961

Gait, abnormalities of, in canine hip dysplasia, 553–554 with spinal cord dysfunction, 757 Gamma globulins, in cerebrospinal fluid protein determination, 799 Gap healing, with external skeletal

fixation, 60
Gas flow, in anesthesia, fresh, 381–387
high, case for, 383–384
low, case for, 384–387
rates of, with mask anesthesia induction, 311

Gastric dilatation/volvulus, anesthesia for, 471–474 induction in, 473

maintenance in, 473–474 postoperative management of, 474

preanesthetic management of, 471–472 preanesthetic medication for, 471–473 Gastric volvulus, anesthesia for, 471–474.

See also Gastric dilatation/volvulus.
Gastrocnemius reflex, examination of, in spinal disease, 767

Gauthier pin, for external skeletal fixation, 73–74

General anesthesia, for cesarean section, 482–483

Gingiva, in cat, 1271 hyperplastic, 1370 Gingivectomy, for feline juvenile

hyperplastic gingivitis, 1374 Gingivitis, definition of, 1101–1102

in cats, 1361-1383 acute necrotizing ulcerative, 1336

bone loss in, 1373 chronic, 1372 clinical syndromes of, 1370–1372

definition of, 1324

dental plaque and, 1311 description and etiopathogenesis of, 1361–1363

feline calcivirus and, 1334, 1354, 1359 in subgingival odontoclastic resorptive lesions, 1417

juvenile onset, 1370–1371

lymphocytic-plasmacytic infiltration in, 1362

pocket formation in, 1373 simple, 1362

treatment of, 1305, 1338-1339 regimens for, 1372-1377 Glass ionomer restoratives, for feline dental resorptive lesion repair, 1424, 1429 further resorption under, 1426 gingival reaction to, 1427 loss of, 1427–1428 results following, 1430 root destruction in, 1428 Glossitis, in cats, definition of, 1324

Glossitis, in cats, definition of, 1324 Glucocorticoids, for bronchial diseases, 1254

for canine chronic bronchitis, 1225–1226 for feline dental resorptive lesions, 1401 for respiratory disease, 1238, 1242, 1244–1245, 1251

Glycopyrrolate, for bronchoconstriction, 1243

Gorman total hip prosthesis, 704 Growth deformities, external skeletal fixation treatment of, 209-223 Growth factors, effect on osteoclast

formation and resorption, 1399 Growth rate, manipulations of, 529–530 Guaifenesin, for cough, 1248–1249 Guanine monophosphate, cyclic, and

bronchial smooth muscle tone, 1232 Gutta percha, for feline endodontics, 1439

"Half axial" radiographic view, of canine hip dysplasia, 574–575

Halothane, advantages and guidelines for, 321–322

cardiovascular effects of, 302–303 during progressive hypotension, 304– 305

in hypovolemic dogs, 252–253 dose calculations for, 407–408 for small animals, cost of, 402 in dilated cardiomyopathy, 464 in hypertrophic cardiomyopathy, 461 minimum alveolar concentration of, 300 partition solubility coefficients of, 298 physicochemical characteristics of, 298 precautions when using, 323–325

Head trauma, anesthesia for, 452, 486-491 plan for, 489 recovery from, 490

pathophysiology of, and intracranial hypertension, 486–487 patient evaluation in, 488

patient monitoring in, 489–490 Heart rate, monitoring of, in anesthetized patient, 425–427

Heart rhythm, monitoring of, in anesthetized patient, 426–427 Hemilaminectomy, for spinal

compression, 917-920 Hemistand, in spinal disease, 762-763 Hemivertebra, congenital, 986–989 Hemiwalk, in spinal disease, 762 Hemorrhage, in external skeletal fixation,

Hepatocellular disease, primary, anesthesia for, 479

Hip, arthroplasty of, total, for canine hip dysplasia, 703–719. See also *Total hip arthroplasty*.

biomechanics of, 513-528

canine, dysplasia of, **503–743**. See also Canine hip dysplasia.

conformation of, in canine hip dysplasia, 573–574

development of, dysplastic, 561–563 normal, 559–560 dislocation of, pelvic osteotomy for, 664 dynamic analysis of, 521–527

forces acting on, 515, 517, 520 inclination angle of, measurement of, 516

moment of, 516 normal, mature, 560–561 radiographs of, 661 radiographic evaluation of, 563–575

reference planes for, 514 static analysis of, 514–520

subluxation of, in canine hip dysplasia, 519, 565

Histamine, as mediator in airway disease, 1061, 1234–1235 Histoplasmosis, of nasal cavity, 1130

Hopping, in spinal disease, 761–762 Horses, chronic pain in, acupuncture for,

Host-bacterial interaction, in feline dental resorptive lesions, 1398–1400

Howmedica porous coated cementless total hip prosthesis, 706 postoperative radiograph of, 710

Human dental models, animals as, 1310– 1311

Humeroradial joint, luxation of, external skeletal fixation for, 218–219, 221 Humerus, anatomy of, and external

skeletal fixation problems, 89–90 avian, fractures of, repair of, 233–234 fractures of, 121–133

external skeletal fixation for, complications of, 132

for stabilization, 123–131 general principles of, 122–123 indications for, 123–132 middiaphyseal, 129–131 open diaphyseal, 131–132 supracondylar, 123–128 unilateral, 85–88 unilateral-biplanar, 88–91

fixator types for, 121-122

Humidification, and rebreathing circuits, 401 Hyaluronic acid, for canine hip dysplasia,

602

Hydrocodone bitartrate, for canine chronic bronchitis, 1225

for cough, 1249

for tracheal collapse, 1208

Hyperesthesia, testing for, in spinal disease, 773–774

Hyperkalemia, in cat, electrocardiogram with, 476

Hypersensitivity, and tissue destruction, in feline gingivitis/stomatitis, 1365– 1366

Hypertrophic cardiomyopathy, anesthesia in, 460–462

suitable drugs in, 461

Hypervitaminosis A, in feline dental resorptive lesions, 1401

Hypochondroplastic bone dysplasia, 891 Hypoesthesia, testing for, in spinal disease, 773–774

Hypotension, with inhalational anesthetics, 306

Hypovolemia, patients with, anesthesia for, 495–496

lbuprofen, for canine hip dysplasia, 600 IgG index, in cerebrospinal fluid, 801–802 Ilial osteotomy, 668 closure of, 675 guide pin placement in, 672, 674 incisions for, 672–673 surgical procedure for, 670–676 IMEX pin, for external skeletal fixation, 73–74

Immune defenses, in cats, oral, 1324–1329 Immunodeficiency, in cats, and oral disease, 1326–1328

in dental resorptive lesions, 1400–1401

in feline gingivitis/stomatitis, 1363– 1365

in periodontitis, 1340

Immunoelectrophoresis, for cerebrospinal fluid protein, 798

Immunoglobulins, in cerebrospinal fluid, 801–802

Infectious peritonitis, feline, and meningitis/myelitis, 954–955

Inflammation, chronic, and feline root resorption, 1367 idiopathic, and meningitis/myelitis,

955-957 Inflammatory cell infiltrates, oral, in cat,

1328-1329

Inhalation therapy, for respiratory disease, 1250–1251

Inhalational anesthesia, 297-339 breathing circuits in, 395-403

concentration of, and induction and recovery speed, 299

for small animals, cost of, 402

general anesthesia maintenance with, 312–313

minimum alveolar concentration of, 300 new, potential uses of, 335–339 partition solubility coefficients of, 298 physicochemical characteristics of, 298 Injectable anesthesia, 245–296

for quantitative anesthesia delivery, 406 general anesthesia maintenance with,

275-277

new, potential uses of, **281–289** pharmacokinetic variables for, 246–247 uptake and distribution of, 245–258

Insect bites, and laryngeal inflammation, 1159

Intertrochanteric osteotomy, three-plane, for early-stage canine hip dysplasia, 623–643

determination of osteotomy lines in, 630

discussion of, 640-642 drill equipment for, 634-635 first cut in, 636

hook plate for, 630 indication for, 624–626

postoperative care in, 639 postoperative view of, 625–626, 638, 642

preoperative planning for, 626–633 results of, 639–640 second cut in, 637

surgical procedure for, 633-639

timing of, 640 Intervertebral disc, development of, 891

extrusion of, 861 herniation of, 892–893 protrusion of, somatosensory evoked

potentials in, 854 Intervertebral disc disease, 889–897 anatomy in, 889–891

clinical signs of, 893–894

conservative management of, 895–896 corticosteroids for, 896

immobilization for, 895

surgical treatments for, 899–915 Intracranial pressure, effect of drugs on,

with head trauma, control of, 487–488 Intramedullary pin fixation, for femoral fractures, 144

for long bone fractures, 85–94 Intraoral radiographs, feline, 1280–1281 film processing in, 1285–1287 Intraoral radiographs (Continued) incorrect angulation in, 1286 interpretation of, 1289-1295 techniques of, 1281-1283, 1285 troubleshooting errors in, 1288-1289 x-ray beam angulation in, 1283-1285 Iohexol, for spinal myelography, 818 Iopamidol, for spinal myelography, 818 Ipratropium bromide, for bronchoconstriction, 1243 Ischial osteotomy, 668 incisions for, 671 surgical procedure for, 670 Isoflurane, advantages and guidelines for, 328-331 cardiovascular effects of, 302-303 during progressive hypotension, 304-

dose calculations for, 407–408 for small animals, cost of, 402 in dilated cardiomyopathy, 464 in hypertrophic cardiomyopathy, 461 minimum alveolar concentration of, 300 partition solubility coefficients of, 298 physicochemical characteristics of, 298 precautions when using, 332–334 Isoproterenol, for bronchoconstriction, 1238–1239

for canine chronic bronchitis, 1224 Itraconazole, for nasal aspergillosis, 1124 for nasal cryptococcosis, 1128

Jaw fractures, in small animals, treatment

of, 1461–1467
anesthesia for, 1462
materials and methods for, 1461–
1462
results in, 1466
technique of, 1462–1465
Joint disease, degenerative, bone loss in, 507
bone theory of, 506
canine hip dysplasia and, 505–508
cartilage theory of, 505–506
histologic changes in, 507
Joint fluid modifiers, for canine hip

dysplasia, 601-602

Kennel cough, and laryngitis, 1158
Ketamine, anesthesia induction with,
advantages and guidelines for, 266–
267

precautions when using, 268–269 cardiovascular effects of, 250–251, 254– 256

during progressive hypotension, 304in hypovolemic dogs, 252-253 depth of anesthesia with, 434 epidural, effects of, 415 general anesthesia maintenance with, in dilated cardiomyopathy, 463-464 pharmacokinetic variables for, 246-247 Ketoconazole, for nasal aspergillosis, 1124 for nasal cryptococcosis, 1127 for respiratory fungal infection, 1253 Kirschner apparatus, double connecting clamp for, 22 for external skeletal fixation, 19-25 hardware for, 21 Kirschner-Ehmer splint(s), 7 for avian fractures, external fixators for, placement of, 232-233 types of, 230-232 indications and complications of, 229-230 for oral fractures, 112-113 for transarticular external skeletal fixation, 182-183, 185-189 connecting rods with, 185-189 for wing fractures, 229-233 transelbow, 188 transstifle, 187-188 transtarsal, 189 Knuckling, as test of proprioception, 759

Lameness, in canine hip dysplasia, 552 Laminectomy, dorsal, for spinal compression, 920-921 Larynx, abscess of, 1159 congenital malformation of, 1158 diseases of, 1155-1172 clinical examination in, 1156-1158 inflammation of, 1158-1160 oral view of, 1157 paralysis of, 1157, 1164-1171 cricoarytenoid ankylosis and, 1169 electromyography of, 1167-1168 endoscopic view of, 1165-1166 muscular causes of, 1169 neurologic causes of, 1165-1169 neuromuscular disease and, 1169 surgical repair of, 1169-1171 polyps of, removal of, 1162-1164 spasm of, 1160 trauma to, 1171 tumors of, 1160-1164 webbing of, 1170 Lateral radiograph, of canine hip dysplasia, mild, 662 moderate, 663 severe, 665

Left ventricular muscle, electromyography of, 1167

Leukotrienes, as mediators in airway disease, 1061-1062, 1236

Limb-lengthening procedures, external skeletal fixation for, 59, 205 Lips, in cat, 1273

Liver dysfunction, severe, anesthesia for, 478-480

Load sharing, maximization of, for decreased pin stress, 63-64

Local anesthetics, epidural, effects of, 415 Lorazepam, pharmacokinetic variables for,

Lumbar fractures, caudal, management of, 884-885

Steinmann pin repair of, 882-883 upper, management of, 879, 884

Lumbar luxations, upper, management of, 879, 884

Lumbar spine, caudal, anatomy of, 939 fracture of, combined external and dorsal fixation of, 171-176

external fixation stabilization of, 179 Lumbar vertebrae, anatomic relationships of, 890

Lumbosacral decompression, dorsal laminectomy for, 920-921

Lumbosacral disease, 937-950 anatomy in, 937-938 ancillary diagnostic tests in, 942-947 clinical features of, 938-941 electrophysiologic studies for, 946 etiology of, 947-948 examination in, 941-942 surgical decompression for, 948-949

treatment of, 948-949 Lumbosacral epidural anesthesia, 417-419. See also under Epidural anesthesia.

Lumbosacral fractures, management of, 884-885

Lumbosacral joint, diskospondylitis of,

Lung, cytologic evaluation of, 1078-1083 collection techniques for, 1067-1069 in inflammation, 1080 normal findings in, 1078-1080

Lung compliance, calculation of, 1049 dynamic, changes in, interpretation of, 1051-1052

in feline bronchopulmonary disease,

pulmonary resistance and, 1048-1052 Lupus erythematosus, systemic, feline oral cavity lesions in, 1329 Luxations, with total hip arthroplasty, 714 Lymph nodes, mandibular, in cat, 1275

Lymphocytosis, in cerebrospinal fluid analysis, differential diagnosis of, 788, 791-792

Magnetic resonance imaging, for lumbosacral disease, 946 for spinal neoplasms, 979 of brain tumors, 825 of spinal cord injury, 828-829 of spine, 825-829

Malocclusion, feline, 1453-1460 acquired, 1459 definition of, 1453 ethical considerations in, 1455-1457 treatment of, 1457-1459 Mandible, fractures of, 109-119. See also

Oral fractures. Mandibular teeth, feline, exposure of,

dental film technique of, 1422 Mask technique, for anesthesia induction, advantages and guidelines for, 308-

precautions when using, 310-311 Mastication, muscles of, in cat, 1273-1274 Maxilla, fractures of, 109-119. See also Oral fractures.

Meclofenamic acid, for canine hip dysplasia, 599

Medetomidine, as anesthetic adjuvant, advantages and guidelines for, 291-

Medullary granulomatous myelitis, myelography of, 824

Meningioma, binucleated cell in, 797 Meningitis, 951-964. See also Meningitis/ myelitis.

cerebrospinal fluid in, 789-790 definition of, 951

Meningitis/myelitis, bacterial infections and, 958-960 clinical findings in, 951-952 differential diagnosis of, 952-953 protozoal infections and, 961-962 rickettsial infections and, 957-958 suppurative, steroid-responsive, 956-

systemic fungal infections and, 960-961 Meningoencephalitis, cerebrospinal fluid in, 789-790, 792

Meningoencephalomyelitis, causes of, 952 definition of, 951 granulomatous, 955-956

Mental status, with spinal cord dysfunction, 757

957

Meperidine, for pain management, 361 pharmacokinetic variables for, 246-247 Metaclopramide, with cesarean section,

Metaproterenol, for bronchoconstriction, 1239

Methadone, for pain management, 361 Methohexital, for general anesthesia maintenance, 275–276

pharmacokinetic variables for, 246-247

Methoxyflurane, advantages and guidelines for, 316–318 cardiovascular effects of, 302–303 dose calculations for, 407–408 for small animals, cost of, 402 minimum alveolar concentration of, 300 partition solubility coefficients of, 298 physicochemical characteristics of, 298 precautions when using, 318–320

Methylxanthines, for bronchoconstriction,

Metrizamide, for spinal myelography, 818 Midazolam, in dilated cardiomyopathy, 464

in hypertrophic cardiomyopathy, 461 pharmacokinetic variables for, 246–247 potential uses of, 284–285

Mitral regurgitation, severe, anesthesia for, 465–466

Mivacurium, as neuromuscular blocking agent, 343–344

Mixed cells, in cerebrospinal fluid analysis, differential diagnosis of, 788, 793–795

Molars, feline, endodontic treatment of, 1445–1446

extraction sites of, healing in, 1375-1376

root ampuation of, 1444 root resorption of, 1368–1370 severe, 1394–1395

Morphine, for pain management, 361 pharmacokinetic variables for, 246–247 Mucociliary apparatus, as respiratory

defense mechanism, 1233 Mucokinetics, for respiratory congestion, 1247, 1251

Mucoperiosteal flap, for oronasal fistula repair, 1106–1108

Mucosal bulge, of lower first molar, in cat, 1275

Muscle relaxation, antagonism of, 344–345 Muscles, size and tone of, with spinal cord dysfunction, 757–758 spinal cord innervation of, 758

Muscular tissue, impalement of, in external skeletal fixation, 105 Mycobacteriosis, of feline oral cavity, 1336

Mycoplasma respiratory infections, 1180-

antimicrobial treatment of, 1182–1183 association with disease, 1180–1181 diagnosis of, 1182

reservoirs, prevalence, and transmission of, 1181

symptomology, pathology, and pathogenesis of, 1181–1182 vaccination against, 1183

Mycoplasma species, antimicrobial susceptibilities to, 1177

Myelitis, 951–964. See also Meningitis/ myelitis.

definition of, 951

granulomatous, medullary, myelography of, 824

Myelography, of lumbosacral disease, 943, 947

of medullary granulomatous myelitis, 824

of spina bifida, 1002

of spinal cord compression, 819

of spinal cord lesions, 819-821

of spinal cord neurofibrosarcoma, 822–823

of spinal neoplasms, 976-979

of spinal trauma, 873

of spine, 815-824

of vertebral fracture, 820

Myelomeningocele, with spina bifida, 1003–1004

Myelopathy, degenerative, 965–971 clinical signs of, 965–966 diagnosis of, 966–967 pathophysiology of, 967–968 treatment of, 968–970

Myocardial depression, with inhalational anesthetics, 301

Myocardial ischemia, intraoperative, electrocardiographic monitoring of, 439

Myotatic reflexes, examination of, in spinal disease, 765-768

N-acetylcysteine, as respiratory mucolytic, . . 1248

Naproxen, for canine hip dysplasia, 600 Nasal adenocarcinoma, computed tomography of, 1137–1138

ventrodorsal radiograph of, 1136 Nasal carcinoma, 1074

Nasal cavity, fungal diseases of, 1119– 1132

Nasal discharge, mucopurulent, with pulpal necrosis, 1110–1112 with fungal nasal cavity infection, 1119 with nasal aspergillosis, 1121

Nasal distortion, with nasal cryptococcosis, 1125

Nasal epithelial cell, columnar, normal, 1070

Nasal flushes, for nasal/paranasal sinus tumors, 1139

Nasal/paranasal sinus tumors, 1133–1144 diagnostic tests of, 1134–1140 biopsy, 1139–1140 computed tomography, 1135–1138 nasal flushes, 1139 radiography, 1135–1138

rhinoscopy, 1138

history and clinical signs in, 1134 pathology and biological behavior of, 1134

prognosis in, 1143 therapy for, 1140–1142 chemotherapy, 1142 cryosurgery, 1141

radiation therapy, 1141-1142 surgery, 1140-1141

Neck, trauma to, anesthesia for, 452 Neosporidiosis, and meningitis/myelitis, 962

Nerve damage, avoidance of, in pelvic osteotomy, 679

Neurapraxia, with total hip arthroplasty, 715

Neurofibrosarcoma, of spinal cord, myelography of, 822–823

Neuroleptanalgesia, for cesarean section, 482

Neurologic deficit, as contraindication to pelvic osteotomy, 667

Neuromuscular blocking agents, 341–352 advantages and guidelines for, 347–350 curariform relaxants, 342 disadvantages of, 351–352 equipment for, 345–346 mechanism of action of, 341 nondepolarizing relaxants, 342

undesirable effects and autonomic safety margin with, 342 Neuroradiography, of spinal neoplasms,

976–979 Neurovascular bundles, impalement of, in external skeletal fixation, 104–105

Neutrophilia, in cerebrospinal fluid analysis, differential diagnosis of, 788–791

Newborn, management of, with cesarean section in dog, 483

Nicotinic acid derivatives, precautions when using, 372 Nitrous oxide, advantages and guidelines

for, 313–314 minimum alveolar concentration of, 300 partition solubility coefficients of, 298 physicochemical characteristics of, 298

precautions when using, 314–316 Noisy breathing, with fungal nasal cavity infection, 1119 Nonne-Apeit test, of cerebrospinal fluid protein, 797

Nonrebreathing circuits, in inhalational anesthesia, 396

for very small animals, advantages of, 397–398

carrier gas flows for, 398 case for, 397–399 components of, 398 disadvantages of, 399 equipment for, 397

Nonsteroidal anti-inflammatory drugs, for canine hip dysplasia, 598–601 for respiratory inflammation, 1246 precautions when using, 370–371 side effects of, 600

Norberg angle, of canine hip dysplasia radiography, 575–576

Nose, cytologic evaluation of, 1069–1075 collection techniques for, 1065–1066 normal findings in, 1069–1070 with inflammation, 1070–1072 with neoplasms, 1072–1075

Nucleus pulposus, role in fibrocartilaginous emboli, 1019 Nutrition, role of, in canine hip dysplasia, 529-540

Nystatin, for respiratory fungal infection, 1253

Obesity, prevention of, for canine hip dysplasia, 597

Occipital bones, malformations of, congenital, 990–996

Occipital dysplasia, congenital, 992, 996 Occipitoatlantoaxial malformation, congenital, 995–996

Occlusion, normal, re-establishment of, in oral fractures, 111

Odontoclastic resorptive lesions, feline, of tooth neck, 1341 subgingival, 1417–1432

Odontoclasts, in feline dental resorption, 1391, 1397–1398

Old patients, anesthesia for, 467–469 induction of, 467–468 maintenance of, 468

recovery from, 468 preoperative assessment and stabilization of, 467

Operator protection, with oral-dental radiographic examination, 1280

Opioid(s), depth of anesthesia with, 434 general anesthesia maintenance with, 276

pharmacodynamic properties of, 257 receptor activity of, 258 Opioid agonist(s), epidural, effects of, 415 Opioid agonist(s) (Continued)
for anesthesia induction, advantages
and guidelines for, 269–272
pharmacologic effects, 270
recommended doses and drug
combinations, 271
routes of administration, 269, 276

routes of administration, 269–270 comparative costs of, 274 precautions when using, 273–275

Opioid agonist-antagonist analgesics, advantages and guidelines for, 363– 365

precautions when using, 365–366 Opioid analgesics, advantages and guidelines for, 360–361 precautions when using, 362–363

Oral cavity, of cats, diseases of, 1297–1307 inflammatory, 1323–1345 toxic lesions of, 1330–1331

Oral-dental radiographic examination interpretation, feline, 1279–1295

Oral fractures, 109–119
anesthesia for, 110
antibiotics for, 111
biphase splint for, 115–117
management of, principles of, 110–112
postoperative care of, 117–118
reduction of, 110

Oral hygiene, in feline gingivitis/ stomatitis, 1374

Oral immunity, in cats, 1324–1329 active vs innate, 1324–1325 anatomic considerations in, 1324 humoral vs cellular, 1325–1326 local and systemic, 1324–1325

Oral infections, in cats, 1331–1337 bacterial, 1336 fungal, 1337 mycetomas, 1337 mycoplasmal, 1336–1337 viral, 1331–1336

Oral inflammatory cell infiltrates, in cat, 1328–1329

Oral mucosa, in cat, 1276

Oronasal fistula, and chronic rhinitis, 1104 nasal hemorrhage with, 1105 repair of, 1106–1108 tooth extraction for, 1108

Orthopedic Foundation for Animals (OFA), breed results and associated observations, 581–591

policies and procedures of, 580–581 population of, 581

canine hip dysplasia in, clinical observations in, 591–592 control of, 579–593 frequency of, 581–585

Orthopedic problems, veterinarian's awareness of, 743 Ortolani test, before and after BOP/shelf arthroplasty, 686 in canine hip dysplasia, 554–555

Osteoarthritis, in canine hip dysplasia, following pectineus tendon surgery, 618

following three-plane intertrochanteric osteotomy, 641

Osteocartilaginous exostoses, 996–999 Osteochondromatosis, 996–999

Osteoclasts, formation and resorption of, effect of cytokines and growth factors on, 1399

ontogeny of, 1398

Osteolysis, with nasal aspergillosis, 1122 Osteomyelitis, as cause of chronic rhinitis, 1113–1115

focal, with pin tract sepsis, 100 open tibial fractures and, 165–166 Osteonal reconstruction, with external

skeletal fixation, 60-61 Osteophytes, acetabular, radiographic

appearance of, 657 femoral neck, as contraindication to pelvic osteotomy, 666–667

formation of, in canine hip dysplasia, 544, 566

in degenerative joint disease, 509 Osteotomy, corrective, for growth deformities, external skeletal fixation for, 210

pelvic. See *Pelvic osteotomy*. Overfeeding, and growth rate, 530 Oxygen extraction, with inhalational anesthetics, during progressive hypotension, 305

with injectable anesthetics, 255 in hypovolemic dogs, 253

Oxygen-hemoglobin dissociation curve, 454

Oxymorphone, cardiovascular response to, 250–251 in hypovolemic dogs, 252–253 in dilated cardiomyopathy, 464 in hypertrophic cardiomyopathy, 461 pain management with, 361

PacO₂, with inhalational anesthetics, 303 with injectable anesthetics, 251, 256 Pain, assessment and recognition of, for postoperative analgesia, 354–355 control of, nonpharmacologic approaches to, 355 pharmacologic approaches to, 355–

testing for, in spinal disease, 774, 777 Pain relief, femoral head and neck excision for, 726 in canine hip dysplasia, BOP/shelf arthroplasty for, 693 pectineus tendon surgery for, 617– 618

three-plane intertrochanteric osteotomy for, 641-642

Palate, in cat, 1274-1275

Pancuronium bromide, as neuromuscular blocking agent, 344

Panniculus reflex, examination of, in spinal disease, 772–773

Pao₂, with injectable anesthetics, 256 Paper slide test, as test of proprioception, 760

Para-aminophenol derivatives, precautions when using, 371

Parapulpar pin composite bridges, for jaw fractures, in small animals, 1461–1467 Paraspinal structures, palnation of in

Paraspinal structures, palpation of, in spinal disease, 773–774 Parathyroid hormone, effect on canine hip

dysplasia, 535 in feline dental resorptive lesions, 1401

Parkhill bone clamp, 2

Parotid gland, in cat, 1274
Parturition, physiologic changes during,

Patellar reflex, examination of, in spinal disease, 766

Patient care, anesthesia gas flow rate and, 386–387

Patient cooperation, with mask anesthesia induction, 310–311

Patient monitoring, anesthesia gas flow rate and, 386–387

Patient protection, with oral-dental radiographic examination, 1279

Pectineus tendon surgery, for canine hip dysplasia, 607–621

blunt dissection in, 615 discussion of, 617-620

draping for, 610 incisions for, 611

Kelly forceps in, 612-614

patient selection for, 618 positioning and preparation for, 609 postoperative care in, 617

purpose of, 617 suturing in, 616

Pelvic limbs, cutaneous innervation of, autonomous zones of, 776

dorsal pressure on, in canine hip dysplasia, 553

flexor reflex of, examination of, in spinal disease, 768

somatosensory evoked potential stimulation in, 838-841

Pelvic osteotomy, for canine hip dysplasia, 645–682

adjunctive procedures with, 681

case selection errors in, 677–678 complications of, 677–681 contraindications to, 666–667 extent of, 679–680 hip stability test in, 676 indications for, 660–666 plate placement in, 675 postoperative care in, 676 postoperative radiographs of, 678 results of, 676–677 surgical procedure for, 667–676 technical considerations in, 678–681 nondysplastic indications for, 664–666

nondysplastic indications for, 664– Pelvis, asymmetry of, in canine hip dysplasia, 570–572

Penicillosis, of nasal cavity, 1120–1124 Pentazocine, pharmacokinetic variables for, 246–247

Pentobarbital, cardiovascular response to, 250–251

pharmacokinetic variables for, 246–247 Periapical abscess, in cat, drainage of, 1436

Perineal reflex, examination of, in spinal disease, 770–771

Periodontal disease, 1103 and oronasal fistula, 1105 feline, 1337–1341

chronic, 1372

control of, experimental models for, 1309–1321

immunologic causes of, 1310 treatment of, 1305–1306 Periodontal ligaments, in cat, 1272

destruction of, with dental resorptive lesions, 1387

Periodontal probe, 1103 placement of, 1104

Periodontal tissue, in cat, 1271–1273 Periodontitis, definition of, 1102

in cats, bone defects in, 1371 definition of, 1324

host-bacterial interaction in, 1398–1400

juvenile onset, 1371 treatment of, 1339–1341 with subgingival odontoclastic resorp-

tive lesions, 1417
Periodontium, destruction of, with tooth fracture, 1114

Periosteal elevators, for external skeletal fixation application, 40

Peripheral nerves, spinal cord innervation of, 758

Peripheral perfusion, monitoring of, in anesthetized patient, 427

Peritonitis, infectious, feline, and meningitis/myelitis, 954-955

Pes varus, external skeletal fixation for, 221–222

Phaeohyphomycosis, of nasal cavity, 1129 Phalangeal fractures, avian, repair of, 236 Pharyngitis, in cats, chronic, feline calcivirus and, 1334, 1354 definition of, 1324

Phenylbutazone, for canine hip dysplasia,

Philtrum, in cat, 1273

Pin(s). See Fixation pins.

Pin tract(s), drainage of, with external skeletal fixation, 101–102

infection of, causes of, 81–82 with external skeletal fixation, 99–102 inflammation of, causes of, 81

Pin tract wound, management of, 82–84 Piroxicam, for canine hip dysplasia, 600– 601

Placing, in spinal disease, 764

Plaque bacteria, control of, in feline gingivitis/stomatitis, 1372

Plate-bending irons, for external skeletal fixation application, 40

Plate fixation, in pelvic osteotomy, 680 Platelet-activating factor, as respiratory inflammatory mediator, 1236

Pleocytosis, eosinophilic, of cerebrospinal fluid, with meningoencephalomyelitis, 793 mixed cell, with spinal disease, 793–795

Pleural pressure, change in, calculation of, 1048

during anesthesia, 1051 during forced exhalation, 1055 during normal breathing, 1054

Pneumonia, anesthesia for patients with, 454–455

mixed inflammatory, 1082 neutrophilic, 1081

Pollution control, anesthesia gas flow rate and, 386

Polyreactivity, and tissue destruction, in feline gingivitis/stomatitis, 1365–1366

Polysulfated glycosaminoglycans, for canine hip dysplasia, 601–602

Portocaval shunt, anesthesia for, 479 Positioning, proprioceptive, in spinal disease, 759–760

Postoperative analgesia, 353–379 pain assessment and recognition in, 354–355

Postsynaptic events, in somatosensory evoked potentials, 840

Potassium iodide, as expectorant, 1248 Prednisolone, for brachycephalic airway syndrome, 1151

Premolar(s), canine, sagittal section of, 1102

feline, root resorption of, 1368-1369 simultaneous repair in, 1392-1393 Pressure-volume curve, static, 1050 Propofol, for general anesthesia maintenance, 276

pharmacokinetic variables for, 246-247 potential uses of, 282-284

Proprioceptive positioning, in spinal disease, 759–760

Prostaglandins, as respiratory inflammatory mediator, 1236

Prostanoids, as mediator in airway disease, 1062

Protein, effect on canine hip dysplasia, 533

in cerebrospinal fluid, 796–801 Proteoglycans, loss of, in degenerative joint disease, 547–548

Protothecosis, of nasal cavity, 1131 Protozoal encephalitis, cerebrospinal fluid antigen-antibody titers in, 806

Protozoal infections, and meningitis/ myelitis, 961–962

Pubic osteotomy, 668 incisions for, 669

surgical procedure for, 667–670 Pulmonary carcinoma, cytology of, 1083

Pulmonary carcinoma, cytology of, 1083 Pulmonary function testing, 1087–1099 arterial blood gas analysis in, 1088–1091 diagnostic evaluation in, 1088 flow-volume curves in, 1092–1094 history and physical examination in, 1087–1088

in canine lower airway disease, 1218 pulmonary mechanics in, 1094–1097 Pulmonary mechanics, 1094–1097 in dog, clinically significant, 1215–1216

Pulmonary neoplasms, cytology of, 1080– 1083

Pulmonary resistance, and lung compliance, 1048–1052

changes in, interpretation of, 1051–1052 effect of terbutaline on, 1096

Pulmonary tree, in dog, zones of, 1203 Pulpal tissue, with feline dental resorptive lesions, 1396

Pulpotomy, vital, for feline malocclusion, 1457–1458

Pyrazolon derivatives, precautions when using, 372

Quadrilateral external skeletal fixation device, 15

Qualitative anesthesia, case for, 410-411 Quantitative anesthesia, 405-411

case for, 409–410 clinical aspects of, 405–408 definition of, 405

delivery of, 405-406

inhaled anesthetic uptake calculations for, 406–408

liquid injection for, 406 surface area and metabolic calculations for, 406 vaporizers for, 405-406 Quinolones, fluorinated, for gram-

negative respiratory infection, 1252

Radial immunodiffusion, for cerebrospinal fluid immunoglobulins, 801

Radiation safety, with oral-dental radiographic examination, 1279-1280 Radioaerosol ventilation scan, of canine

chronic bronchitis, 1221 Radiography, of lumbosacral disease, 942-

of spina bifida, 1000-1002, 1005 of spinal trauma, 871

of spine, 811-815

Radiolucency band, in feline teeth, interpretation of, 1289-1290

Radius, external skeletal fixation of, for angular and rotational deformities, 213-214, 216-217

for lengthening transverse osteotomy, 220

for premature physeal closure, 215-

Radius/ulna, avian, fractures of, repair of, 234-235

external skeletal fixation of, for fractures in toy breeds, 203 for growth deformities, 215

for premature distal physeal closure,

219-220 fractures of, 135-148

external skeletal fixation of, aftercare and complications of, 145-146 bilateral-biplanar, 94-96

for delayed union, 203-204 principles of application of, 136-137

types of, 137-144 type I, 139-141 type II, 141-143

type III, 143-144 unilateral-biplanar, 91-94

open, external skeletal fixation of, 199, 201

preoperative considerations in, 136 stabilization of, 95

Range of motion, in canine hip dysplasia, 553

Rebreathing circuits, 395-396 for very small animals, case for, 400-403

Reduction, angle of, in canine hip dysplasia, 651-652

Renal disease, end-stage, stable, anesthesia in, 469-471

Resorptive lesions, in feline teeth, interpretation of, 1290-1292

Respiratory defense mechanisms, airway inflammation and, 1194-1195

Respiratory depressants, inhalational anesthetics as, 306 management of, 453

Respiratory monitoring, of anesthetized patient, 428-431

Respiratory parameters, normal ranges for, 426

Respiratory system, physiology of, 1043-1064

Respiratory therapeutics, 1231-1258

Respiratory tract, cytologic evaluation of, 1065-1085

collection techniques for, 1065-1069 defense mechanisms in, 1233-1234 disease of, chronic, acute presentation

of, 1146-1147 drugs for, 1242-1243

drugs used to modulate, 1237-1250 infections of, Bordetella, 1173-1180

Mycoplasma, 1180-1183 inflammatory mediators in, 1234-1236

mononuclear phagocyte system of, as respiratory defense mechanism, 1234

physiology of, normal, 1231-1234 stimulants of, for respiratory disease,

Rhabdomyosarcoma, laryngeal, 1161 Rhinitis, chronic, and dental disease,

1101-1117

bony sequestra and, 1113-1115 endodontic disease as cause of, 1109-

endodontic-periodontic lesion and,

intranasal tooth migration and, 1113osteomyelitis and, 1113-1115

periodontal disease as cause of, 1101-.

cytologic evaluation of, 1070-1072 mycotic, 1073 neutrophilic, 1071

Rhinoscopy, for nasal aspergillosis, 1121 for nasal/paranasal sinus tumors, 1138

Rhinosporidiosis, of nasal cavity, 1128-1129

Richard's Canine II total hip prosthesis, 705-706

Richards mandibular screw, 116 Rickettsial encephalitis, cerebrospinal fluid antigen-antibody titers in, 805-806

Rickettsial infections, and meningitis/ myelitis, 957-958

Right ventricular muscle, electromyography of, 1168 Root apex, in feline tooth, sealing of, 1446 Root-entry zone potentials, in

somatosensory evoked potentials, 840 Root fragments, retained, in feline teeth, in extraction sites, 1375–1376 radiographic appearance of, 1292

Root resorption, in cats, extensive, in subgingival odontoclastic resorptive lesions, 1421

in gingivitis/stomatitis, 1366–1370 processes in, 1398

Rubber power chain, for feline malocclusion treatment, 1457–1458 Rudy boot technique, for transarticular

Rudy boot technique, for transarticular external skeletal fixation, 183–184

Sacrotuberous ligament, release of, in pelvic osteotomy, 680 Saliva, role in feline gingivitis, 1363

Salivary glands, in cat, 1275

Salter fractures, of humerus, external skeletal fixation for, 124 Scaling instruments, for feline dental

Scaling instruments, for feline dental prophylaxis, 1301–1302
Schroeder fixation splints, 6

Schroeder fixation splints, 6

Sciatic nerve, location of, in BOP/shelf arthroplasty, 688

Sciatic neurapraxia, in BOP/shelf arthroplasty, 693

Screw fracture, in BOP/shelf arthroplasty, 693

Screw placement, in BOP/shelf arthroplasty, 689

Sedatives, for tracheal collapse, 1209 Seromas, in BOP/shelf arthroplasty, 693 Serotonin, as respiratory inflammatory

mediator, 1235–1236

Sertl shelf arthroplasty (BOP procedure), for canine hip dysplasia, **683–701**. See also *BOP/shelf arthroplasty*.

Sevoflurane, potential uses of, 335–336 Sink-source potentials, in somatosensory evoked potentials, 840

Sinus(es), nasal/paranasal, tumors of, 1133–1144

Sinus tracts, chronic draining, in BOP/ shelf arthroplasty, 693

Skeletal fixation, external. See External fixators; External skeletal fixation.

Skeletal growth, inborn errors of, and developmental stenosis, 1008–1010

Skin, pressure necrosis of, in external skeletal fixation, 103–104 Sneezing, as respiratory defense

mechanism, 1233 with fungal nasal cavity infection, 1119 with nasal aspergillosis, 1121 Soft tissues, impalement of, in external skeletal fixation, 104–105 management of, in external pin fixation,

Somatosensory evoked potentials, 833-853

anatomy and physiology of, 837–846 applications in surgery and anesthesia, 852–853

cerebral, abnormalities of, 849–851 compound action potentials in, 837 field potentials in, 837–838

in spinal cord disease, changes in, 846– 852

mixed potentials in, 838

technical considerations in, 834-837 anesthesia/sedation, 837

bipolar vs monopolar configuration, 835

recording, 834

recording electrodes, 834–836 stimulation, 836–837

use in prognosis of acute transverse myelopathies, 851–852

Spina bifida, 999–1005 clinical findigs in, 1003–1004

diagnosis and treatment of, 1004–1005 myelography of, 1002

radiography of, 1000-1002, 1005 types of, 999

with myelomeningocele, 1003–1004 Spinal canal, lesions of, computed tomography of, 826–827

Spinal cord, anatomy of, effect of anesthetics on, 413–416

ascending evoked potentials of, anatomic and physiologic basis for, 844 canine, arterial vasculature of, 1018

compression of, abnormal ascending evoked potentials in, 847

myelography of, 819 with cervical vertebral malformation/ malarticulation syndrome, 924– 925

 conduction velocity measurement of, somatosensory evoked potentials for, 843–846

disease of, diagnosis of, electromyography in, 853–855

somatosensory evoked potentials in, 846-852

dorsum potentials in, abnormalities of, 846-847, 850-852

injury to. See also *Spinal trauma*. compression vs concussion, 860–862 electrolyte aberrations with, 869 magnetic resonance imaging of, 828– 829

management of, algorithm for, 872 conservative, 876-877

primary, pathophysiology of, 866 secondary, biochemical changes with, 868-869 factors in, 869 mediators of, 867 pathophysiology of, 866-868 vascular mechanisms of, 868 lesions of, myelography of, 819-821 segments of, peripheral nerve and muscle distibutions of, 758 tumor of, myelography of, 978, 980 Spinal disease, 751-780 activities causing, 753 cerebrospinal fluid protein profiles in, 799-800 cerebrospinal fluid white blood cell counts in, 785-786 classification of, 778 clinical signs for, breed and age of onset of, 752 cytologic abnormalities in, 786-796 decompressive techniques for, 917-921 history of, 753-754 localization of, 755-757 neurologic examination for, 754-777 interpretation of results in, 777-779 physical examination for, 754 postural reactions to, 758-765 signalment in, 751-753 Spinal fractures, 862, 865 burst, 864 combination, 864 instability in, management of, 875 management of, conservative, 876 surgical, 877-878 radiographic assessment of, three-compartment theory of, 874-876 wedge compression, 862-863 Spinal luxations, 864-865 management of, conservative, 876 surgical, 877-878 Spinal malformations, congenital, 985-Spinal neoplasms. See Spine, neoplasms of. Spinal pain, caudal, posture in, 940 Spinal stenosis, 1005-1012 causes of, 1005-1006 clinical signs of, 1011-1012 congenital, 1006 developmental, idiopathic, 1010-1011 diagnosis of, 1012 segmental, 1007 treatment of, 1012 Spinal trauma, 859-888. See also Spinal cord, injury to. advanced imaging of, 873-874 causes of, 859 classifications of, 860-868

diagnosis of, 871-874

management of, therapeutic, 874-885

myelography of, 873 pathophysiology of, 866-869 physical and neurologic examination in, radiography of, 871 treatment of, initial, 870 Spine, disease of. See Spinal disease. electrodiagnostic examination of, 833fractures of. See Spinal fractures. hyperextension of, 863 hyperflexion of, 862 imaging of, 811-831 luxations of. See Spinal luxations. magnetic resonance imaging of, 825-829 malformations of, 985-1015 myelography of, 815-824 contrast agents for, 817-818 indications for, 815 interpretation of, 818-821 technique of, 816-817 neoplasms of, 973-984 cerebrospinal fluid analysis for, 979 classification of, 974 clinical signs in, 974-975 diagnosis of, 975-981 minimum database for, 975-976 neuroradiography for, 976-979 electrodiagnostics of, 981 metastatic disease in, 983 myelography for, 976-979 signalment and history in, 973-974 treatment of, 981-983 radiography of, 811-815 positioning in, 812 survey, 812-813 interpretation of, 813-815 projections for, 814-815 stenosis of. See Spinal stenosis. tomography of, 821-825 computed, 823-827 linear, 821-823 trauma to. See Spinal cord, injury to; Spinal trauma Spirochete encephalitis, cerebrospinal fluid antigen-antibody titers in, 805-Spreaders, for feline endodontics, 1440 Stader reduction and fixation splints, 4-5 Steinmann pins, for external skeletal fixation, 74

for vertebral external fixation, 173-174

feline calcivirus and, 1334, 1354,

Stifle, immobilization of, biphase splint

Stomatitis, in cats, 1361-1383

bone loss in, 1373

definition of, 1323

chronic, 1372

for. 192

Stomatitis (Continued)

description and etiopathogenesis of, 1361–1363

pocket formation in, 1373 treatment regimens for, 1372-1377

Strain, internal, in bone, 48–49

Strength, with spinal cord dysfunction, 757-758

Stress, internal, in bone, 48-49

"Stress-radiographic method," of canine hip dysplasia imaging, 575

Stretch reflexes, examination of, in spinal disease, 765–768

Stridor, causes of, 1155

String lesions, oral, in cat, 1341

Subluxation test, for canine hip dysplasia, 647–649, 651, 653

Sufentanil, pharmacokinetic variables for, 246–247

Suffering, control of, nonpharmacologic approaches to, 355

pharmacologic approaches to, 355–356

Sulfonamides, for respiratory infection, 1253

Supereruption, in feline subgingival odontoclastic resorptive lesions, 1419

Superoxide dismutase, for canine hip dysplasia, 602

Surgery, somatosensory evoked potential applications in, 852–853

Synovium, villous hypertrophy of, in canine hip dysplasia, 545

Systemic debilitation, severe, anesthesia in, 491–494

Systemic factors, in feline dental resorptive lesions, 1400-1402

Tarsometatarsal fractures, avian, repair of,

Telazol, potential uses of, 286–287 Temporomandibular joint, in cat,

radiographs of, 1295

Terbutaline, effect on pulmonary resistance, 1096

for bronchoconstriction, 1239 for canine chronic bronchitis, 1223 for feline bronchial asthma, 1196

Theophylline, for bronchoconstriction, 1239–1241

for canine chronic bronchitis, 1223 for feline bronchial asthma, 1196

Thiabendazole, for nasal aspergillosis, 1124 Thiamylal, cardiovascular response to,

Thiamylal, cardiovascular response to, 251 in dilated cardiomyopathy, 464 in hypertrophic cardiomyopathy, 461 pharmacokinetic variables for, 246–247

Thiobarbiturates, for general anesthesia maintenance, 275

ultrashort, for anesthesia induction, precautions when using, 264–265

Thiopental, cardiovascular response to, in hypovolemic dogs, 252–253 in dilated cardiomyopathy, 464 in hypertrophic cardiomyopathy, 461 pharmacokinetic variables for, 246–247

Thoracic fractures, management of, 879, 884

spinal and vertebral body plate repair of, 880-881

Thoracic limb, cutaneous innervation of, autonomous zones of, 775 flexor reflex of, examination of, in

spinal disease, 768

Thoracic luxations, spinal and vertebral body plate repair of, 880–881 upper, management of, 879, 884

Thoracic vertebral stenosis, in Doberman Pinschers, 1006–1010

Thoracolumbar spine, intervertebral disc disease of, dorsolateral hemilaminectomy for, 911–912 fenestration of, 905–907

modified dorsal laminectomy for, 907–911 perioperative care in, 910–911

surgical technique for, 907–910 surgical treatment of, 905–912 Three-plane intertrochanteric osteotomy, for early-stage canine hip dysplasia,

623–643
Thromboembolism, with total hip arthroplasty, 716

Thyroarytenoid muscle, electromyography of, 1168

Tibia, external skeletal fixation of, for growth deformities, 221

fractures of, **161–170**external skeletal fixation of, bilateralbiplanar, 94–96
diaphyseal, 164

distal, 165 for nonunions/malunions, 166–168 general principles of, 162–163 proximal, 164

unilateral-biplanar, 91–94 open, and osteomyelitis, 165–166 stabilization of, 92, 94

Tibial nerve, somatosensory evoked potentials of, 838–839

Tibiotarsal fractures, avian, repair of, 236 Tidal volume, during anesthesia, 1051 Tomography, computed. See *Computed* tomography.

linear, for lumbosacral disease, 944–945 of spine, 821–823

Tongue, in cat, 1275

Tonic neck, in spinal disease, 764–765 Tonsilitis, in cat, definition of, 1324 Tooth formulas, in cat, 1265–1266 Tooth (teeth), extraction of, chronic rhinitis following, 1115–1116 fracture of, and endodontic disease, 1110–1112

in cats, abnormalities of, treatment of, 1304–1306

amputation and pulp capping of, 1448-1450

anatomic nomenclature of, 1266 ankylosis with alveolar bone, 1396 carnassial, scissor occlusion of, 1268 eruption of, 1268–1269 extraction of, for advanced dental re-

sorptive lesions, 1425 neck lesions of, 1385, 1389

histologic schema in, 1397 treatment of, 1305

occlusal relationship of, 1268 open apices of, 1292

root abscess of, 1336 structure of, 1269-1271

substance of, radiographic abnormalities in, 1289–1292

surface pits on, with dental resorptive lesions, 1387, 1390

topographic terminology of, 1268– 1269

migration of, intranasal, as cause of chronic rhinitis, 1113–1116

Total hip arthroplasty, complications with, 712–716

bone resorption, 713, 716 cement disease, 714

fractures, 715-716 infection with cement, 714-715

luxations, 714

neurapraxia, 715 thromboembolism, 716

for canine hip dysplasia, 703–719 contemporary, 704–707 operative techniques for, 708–711

pioneers in, 703–704 preoperative considerations in, 707

postoperative considerations in, 711– 712

prosthetic fitting in, 709 radiographic evaluation of, 712 results with, 712–716 surgical exposure for, 708

Total hip prosthesis, cemented, 704 cementless, 705

fissure fracture with, 710 Toxic epidermal necrolysis, feline oral

cavity lesions in, 1330

Toxoplasmosis, and meningitis/myelitis, 962

Trachea, pulmonary mechanics of, 1204– 1205

Tracheal collapse, in dog, 1204–1210 clinical findings in, 1205–1206 diagnosis of, 1206–1207 prognosis in, 1210 pulmonary mechanics in, 1204–1205 relationship to chronic bronchitis, 1208

treatment of, 1208-1210

Tracheal epithelium, function of, 1213 Tracheobronchial tree, anatomy of, 1045 chronic disease of, in dog, 1203–1229 culture of, in canine lower airway disease, 1218

cytologic evaluation of, 1075–1078 collection techniques for, 1066–1067 in disease, 1076–1078 normal findings in, 1075–1076

Tracheobronchitis, allergic, cytology of, 1076–1077

and laryngitis, 1158

Transarticular application, of external skeletal fixation, 181–194

Transelbow splint, Kirschner-Ehmer, 188 Transnostril core biopsy, for nasal cavity tumor, 1140

Transstifle splint, Kirschner-Ehmer, 187– 188

Transtarsal splint, Kirschner-Ehmer, 189 Trauma, and fibrocartilaginous emboli, 1019

head and neck, anesthesia for, 452 Triceps reflex, examination of, in spinal

disease, 767 Trichosporonosis, of nasal cavity, 1130 Tricuspid regurgitation, severe, anesthesia

for, 466 Trochanter minor, removal of, with biceps femoris muscle sling, 731

Trochanteric compression test, for canine hip dysplasia, 650, 653–654

Turner pin, for external skeletal fixation, 73

Ulna, distal physis of, premature closure of, deformities associated with, 212

external skeletal fixation for, 211-215

fracture of. See under Radius/ulna. Upper airway obstruction, severe, anesthesia for, 452–453

Urethral obstruction, feline, anesthesia for, 475–478

Urinary function, examination of, in spinal disease, 771-772

Vaporizer(s), control of, with inhalational anesthesia, 299

for quantitative anesthesia delivery, 485-406

Vaporizer position, with inhalational anesthesia, 389–394

effects of flow on inspired concentration, 390 in circuit, 390

case for, 391–392

out of circuit, 389 case for, 392-394

Vascular resistance, systemic, with inhalational anesthetics, 302, 306 during progressive hypotension, 304

with injectable anesthetics, 250, 254 in hypovolemic dogs, 252

Vasculitis, idiopathic, feline oral cavity lesions in, 1330

Vecuronium bromide, as neuromuscular blocking agent, 344

Venous sinography, for spinal neoplasms, 979

Ventilation, airflow in, 1044 Ventilometry, of anesthetized patient,

Ventrodorsal leg extended (OFA) radiographic view, of canine hip dysplasia, 564–574, 654 appearance of, 567–568 artifacts and pitfalls in, 569–572 grading or classification of, 573–574 interpretation of, 568–569 mild, 662 moderate, 663

positioning in, 564–566, 570

radiographic technique in, 566–567 restraint in, 567–568 severe, 665

of normal hip, 661

Vertebra, butterfly, congenital, radiographic appearance of, 988

fracture of, etiopathogenesis of, 862–866 hemilaminectomy for, 917–920 myelography of, 820 transverse, 865–866

luxation of, hemilaminectomy for, 917– 920

transitional, and spinal stenosis, 1008 Vertebral canal, contents of, implications for anesthesia, 414 Vertebral column, fractures and luxations of, 171–180 biomechanics of, 175–178

dorsal spinal plates for, 172

infection/failure of, external skeletal fixation for, 178–179

three-compartment classification of, 177

Vestibule, of mouth, in cat, 1273 Veterinarian, information needed by, on canine hip dysplasia, 742–743

Villous synovitis, in canine hip dysplasia, 545-546

Viral encephalitis, cerebrospinal fluid antigen-antibody titers in, 804–805

Viral infections, and meningitis/myelitis, 953–955

Vital pulpotomy, for feline malocclusion, 1457–1458

Vitamin C, effect on canine hip dysplasia, 533–534

Vocal folds, ventral midline surgical approach to, 1161–1164

Warmth, for canine hip dysplasia, 597 Wedge technique, of canine hip dysplasia radiography, 574

Weight-drop injury, somatosensory evoked potentials in, 853

Wheelbarrowing, in spinal disease, 760–761

Williams screws, for biphase oral splints, 116

Wound contamination, in oral fractures, 112

Wrenches, for external skeletal fixation application, 37

Xylazine, as anesthetic adjuvant, advantages and guidelines for, 289– 291

cardiovascular response to, 250-251, 254-256

pharmacokinetic variables for, 246-247

Zygomatic gland, in cat, 1274

